



GlassFish Server Open Source Edition

Release Notes

Release 3.1.2

February 2012

These *Release Notes* provide late-breaking information about GlassFish Server 3.1.2 software and documentation. These *Release Notes* include summaries of supported hardware, operating environments, and JDK and JDBC/RDBMS requirements. Also included are a summary of new product features in the 3.1.2 release, and descriptions and workarounds for known issues and limitations.

Copyright © 2012, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Preface

This preface contains information about and conventions for the entire GlassFish Server Open Source Edition (GlassFish Server) documentation set.

GlassFish Server 3.1.2 is developed through the GlassFish project open-source community at <http://glassfish.java.net/>. The GlassFish project provides a structured process for developing the GlassFish Server platform that makes the new features of the Java EE platform available faster, while maintaining the most important feature of Java EE: compatibility. It enables Java developers to access the GlassFish Server source code and to contribute to the development of the GlassFish Server. The GlassFish project is designed to encourage communication between Oracle engineers and the community.

The following topics are addressed here:

- [GlassFish Server Documentation Set](#)
- [Related Documentation](#)
- [Typographic Conventions](#)
- [Symbol Conventions](#)
- [Default Paths and File Names](#)
- [Documentation, Support, and Training](#)
- [Searching Oracle Product Documentation](#)
- [Documentation Accessibility](#)

GlassFish Server Documentation Set

The GlassFish Server documentation set describes deployment planning and system installation. For an introduction to GlassFish Server, refer to the books in the order in which they are listed in the following table.

Book Title	Description
<i>Release Notes</i>	Provides late-breaking information about the software and the documentation and includes a comprehensive, table-based summary of the supported hardware, operating system, Java Development Kit (JDK), and database drivers.
<i>Quick Start Guide</i>	Explains how to get started with the GlassFish Server product.
<i>Installation Guide</i>	Explains how to install the software and its components.

Book Title	Description
<i>Upgrade Guide</i>	Explains how to upgrade to the latest version of GlassFish Server. This guide also describes differences between adjacent product releases and configuration options that can result in incompatibility with the product specifications.
<i>Deployment Planning Guide</i>	Explains how to build a production deployment of GlassFish Server that meets the requirements of your system and enterprise.
<i>Administration Guide</i>	Explains how to configure, monitor, and manage GlassFish Server subsystems and components from the command line by using the <code>asadmin</code> utility. Instructions for performing these tasks from the Administration Console are provided in the Administration Console online help.
<i>Security Guide</i>	Provides instructions for configuring and administering GlassFish Server security.
<i>Application Deployment Guide</i>	Explains how to assemble and deploy applications to the GlassFish Server and provides information about deployment descriptors.
<i>Application Development Guide</i>	Explains how to create and implement Java Platform, Enterprise Edition (Java EE platform) applications that are intended to run on the GlassFish Server. These applications follow the open Java standards model for Java EE components and application programmer interfaces (APIs). This guide provides information about developer tools, security, and debugging.
<i>Add-On Component Development Guide</i>	Explains how to use published interfaces of GlassFish Server to develop add-on components for GlassFish Server. This document explains how to perform <i>only</i> those tasks that ensure that the add-on component is suitable for GlassFish Server.
<i>Embedded Server Guide</i>	Explains how to run applications in embedded GlassFish Server and to develop applications in which GlassFish Server is embedded.
<i>High Availability Administration Guide</i>	Explains how to configure GlassFish Server to provide higher availability and scalability through failover and load balancing.
<i>Performance Tuning Guide</i>	Explains how to optimize the performance of GlassFish Server.
<i>Troubleshooting Guide</i>	Describes common problems that you might encounter when using GlassFish Server and explains how to solve them.
<i>Error Message Reference</i>	Describes error messages that you might encounter when using GlassFish Server.
<i>Reference Manual</i>	Provides reference information in man page format for GlassFish Server administration commands, utility commands, and related concepts.
<i>Message Queue Release Notes</i>	Describes new features, compatibility issues, and existing bugs for Open Message Queue.
<i>Message Queue Technical Overview</i>	Provides an introduction to the technology, concepts, architecture, capabilities, and features of the Message Queue messaging service.
<i>Message Queue Administration Guide</i>	Explains how to set up and manage a Message Queue messaging system.
<i>Message Queue Developer's Guide for JMX Clients</i>	Describes the application programming interface in Message Queue for programmatically configuring and monitoring Message Queue resources in conformance with the Java Management Extensions (JMX).

Book Title	Description
<i>Message Queue Developer's Guide for Java Clients</i>	Provides information about concepts and procedures for developing Java messaging applications (Java clients) that work with GlassFish Server.
<i>Message Queue Developer's Guide for C Clients</i>	Provides programming and reference information for developers working with Message Queue who want to use the C language binding to the Message Queue messaging service to send, receive, and process Message Queue messages.

Related Documentation

The following tutorials explain how to develop Java EE applications:

- Your First Cup: An Introduction to the Java EE Platform (<http://download.oracle.com/javaee/6/firstcup/doc/>). For beginning Java EE programmers, this short tutorial explains the entire process for developing a simple enterprise application. The sample application is a web application that consists of a component that is based on the Enterprise JavaBeans specification, a JAX-RS web service, and a JavaServer Faces component for the web front end.
- The Java EE 6 Tutorial (<http://download.oracle.com/javaee/6/tutorial/doc/>). This comprehensive tutorial explains how to use Java EE 6 platform technologies and APIs to develop Java EE applications.

Javadoc tool reference documentation for packages that are provided with GlassFish Server is available as follows.

- The API specification for version 6 of Java EE is located at <http://download.oracle.com/javaee/6/api/>.
- The API specification for GlassFish Server 3.1.2, including Java EE 6 platform packages and nonplatform packages that are specific to the GlassFish Server product, is located at <http://glassfish.java.net/nonav/docs/v3/api/>.

Additionally, the Java EE Specifications (<http://www.oracle.com/technetwork/java/javaee/tech/index.html>) might be useful.

For information about creating enterprise applications in the NetBeans Integrated Development Environment (IDE), see the NetBeans Documentation, Training & Support page (<http://www.netbeans.org/kb/>).

For information about the Java DB database for use with the GlassFish Server, see the Java DB product page (<http://www.oracle.com/technetwork/java/javadb/overview/index.html>).

The Java EE Samples project is a collection of sample applications that demonstrate a broad range of Java EE technologies. The Java EE Samples are bundled with the Java EE Software Development Kit (SDK) and are also available from the Java EE Samples project page (<http://java.net/projects/glassfish-samples>).

Typographic Conventions

The following table describes the typographic changes that are used in this book.

Typeface	Meaning	Example
AaBbCc123	The names of commands, files, and directories, and onscreen computer output	Edit your <code>.login</code> file. Use <code>ls a</code> to list all files. <code>machine_name%</code> you have mail.
AaBbCc123	What you type, contrasted with onscreen computer output	<code>machine_name%</code> su Password:
AaBbCc123	A placeholder to be replaced with a real name or value	The command to remove a file is <code>rm filename</code> .
AaBbCc123	Book titles, new terms, and terms to be emphasized (note that some emphasized items appear bold online)	Read Chapter 6 in the <i>User's Guide</i> . A <i>cache</i> is a copy that is stored locally. Do <i>not</i> save the file.

Symbol Conventions

The following table explains symbols that might be used in this book.

Symbol	Description	Example	Meaning
[]	Contains optional arguments and command options.	<code>ls [-l]</code>	The <code>-l</code> option is not required.
{ }	Contains a set of choices for a required command option.	<code>-d {y n}</code>	The <code>-d</code> option requires that you use either the <code>y</code> argument or the <code>n</code> argument.
<code>\${ }</code>	Indicates a variable reference.	<code>\${com.sun.javaRoot}</code>	References the value of the <code>com.sun.javaRoot</code> variable.
-	Joins simultaneous multiple keystrokes.	Control-A	Press the Control key while you press the A key.
+	Joins consecutive multiple keystrokes.	Ctrl+A+N	Press the Control key, release it, and then press the subsequent keys.
>	Indicates menu item selection in a graphical user interface.	File > New > Templates	From the File menu, choose New. From the New submenu, choose Templates.

Default Paths and File Names

The following table describes the default paths and file names that are used in this book.

Placeholder	Description	Default Value
<i>as-install</i>	Represents the base installation directory for GlassFish Server. In configuration files, <i>as-install</i> is represented as follows: <code>\${com.sun.aas.installRoot}</code>	Installations on the Oracle Solaris operating system, Linux operating system, and Mac OS operating system: <i>user's-home-directory/glassfish3/glassfish</i> Installations on the Windows operating system: <i>SystemDrive:\glassfish3\glassfish</i>

Placeholder	Description	Default Value
<i>as-install-parent</i>	Represents the parent of the base installation directory for GlassFish Server.	Installations on the Oracle Solaris operating system, Linux operating system, and Mac operating system: <i>user's-home-directory/glassfish3</i> Installations on the Windows operating system: <i>SystemDrive:\glassfish3</i>
<i>domain-root-dir</i>	Represents the directory in which a domain is created by default.	<i>as-install/domains/</i>
<i>domain-dir</i>	Represents the directory in which a domain's configuration is stored. In configuration files, <i>domain-dir</i> is represented as follows: <code>\${com.sun.aas.instanceRoot}</code>	<i>domain-root-dir/domain-name</i>
<i>instance-dir</i>	Represents the directory for a server instance.	<i>domain-dir/instance-name</i>

Documentation, Support, and Training

The Oracle web site provides information about the following additional resources:

- Documentation (<http://www.oracle.com/technetwork/indexes/documentation/index.html>)
- Support (<http://www.oracle.com/us/support/index.html>)
- Training (<http://education.oracle.com/>)

Searching Oracle Product Documentation

Besides searching Oracle product documentation from the Oracle Documentation (<http://www.oracle.com/technetwork/indexes/documentation/index.html>) web site, you can use a search engine by typing the following syntax in the search field:

search-term site:oracle.com

For example, to search for "broker," type the following:

broker site:oracle.com

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

GlassFish Server Open Source Edition 3.1.2 Release Notes

GlassFish Server 3.1.2 provides a lightweight, modular server for the development of Java Platform Enterprise Edition (Java EE) 6 applications and Java Web Services. It delivers enterprise performance, scalability, and reliability.

For production deployments, consider Oracle GlassFish Server with Oracle Premier Support for Software

(<http://www.oracle.com/support/premier/index.html>). Premier Support helps lower the total cost and risk of owning your Oracle solutions, improve the return from your IT investment, and optimize the business value of your IT solutions. Benefits of Premier Support include product updates and enhancements, global reach, lifetime support, ecosystem support, and proactive, automated support.

For issues with GlassFish Server Open Source Edition, the GlassFish Server Community (<https://glassfish.dev.java.net/>) can offer help.

These *Release Notes* provide late-breaking information about GlassFish Server 3.1.2 software and documentation. These *Release Notes* include summaries of supported hardware, operating environments, and JDK and JDBC/RDBMS requirements. Also included are a summary of new product features in the 3.1.2 releases, and descriptions and workarounds for known issues and limitations.

Refer to this document prior to installing, configuring, or using GlassFish Server 3.1.2 software. Consult this document periodically to view the most up-to-date product information.

- [Revision History](#)
- [What's New in the GlassFish Server 3.1.2 Release?](#)
- [Hardware and Software Requirements](#)
- [Known Issues in GlassFish Server 3.1.2](#)
- [Restrictions and Deprecated Functionality](#)
- [Features Available Only in the Full Platform Profile](#)
- [Java EE 6 Standards Support](#)
- [Java EE 6 SDK](#)
- [How to Report Problems and Provide Feedback](#)
- [Additional Resources](#)

Revision History

This section lists the revision history for these *Release Notes*.

Table 1–1 Revision History

Date	Description of Changes
February 2012	Initial release of GlassFish Server Open Source Edition 3.1.2.

What's New in the GlassFish Server 3.1.2 Release?

The GlassFish Server 3.1.2 update release includes bug fixes and the following new features:

- [Environment and Component Changes](#)
- [Administration Console Enhancements](#)
- [Simplified Set Up of Windows Systems for Centralized Administration of Remote Instances](#)
- [mod_proxy_ajp Support](#)
- [GMS Without Multicast Support](#)
- [TopLink and MOXy Support](#)
- [Transaction Recovery from a Database](#)
- [New Thread Pool Properties](#)
- [New Library Management Commands](#)
- [Updated OSGi Module Management Subsystem](#)
- [GlassFish Server Samples for NetBeans](#)

Environment and Component Changes

The GlassFish Server 3.1.2 release includes the following updates:

Table 1–2 GlassFish Server 3.1.2 Environment and Component Changes

New Feature Area	New Features
Operating Systems	Solaris 11
Java Virtual Machines	JRockit R28.2.2, Oracle JDK7 U3, Oracle JDK6 U31
Java Development Kit	SDK bundles with JDK7 U3, SDK bundles with JDK6 U31
non-Oracle Database	Java DB 10.8.1.2
Browsers	IE 9, Firefox 8, Firefox 9, Safari 5.x, Chrome 15.x
Integrated Development Environments	NetBeans 7.1.1, Eclipse 3.7.1
Updated Libraries	Weld, JSF, EclipseLink, Metro, Jersey, HK2, Grizzly, Shovel, Update Center, Open Message Queue, JSP, JSTL, Hibernate Validator, Apache Felix, JavaDB
HTTP session persistence	Support for Coherence*Web 3.7.1; see Using Coherence*Web with GlassFish Server
Java API for XML Binding (JAXB)	Support for MOXy with EclipseLink 2.3.2
Java Persistence API (JPA)	Support for Toplink Grid with Coherence 3.7.1

Administration Console Enhancements

The Administration Console has added features to bring it more into alignment with the capabilities of the `asadmin` command-line administration utility, including:

- Configuring a supported Message Queue broker cluster when creating a GlassFish Server cluster
- Enabling and disabling secure administration
- Administering Loadbalancer Plug-in configurations
- Viewing and monitoring application-scoped resources
- Configuring advanced properties of JDBC connections
- Administering Loadbalancer Plug-in configurations (Oracle GlassFish Server only)

Simplified Set Up of Windows Systems for Centralized Administration of Remote Instances

To simplify the set up of Windows systems to enable centralized administration of remote instances, GlassFish Server now supports the Distributed Component Object Model (DCOM) remote protocol.

Previous releases of GlassFish Server supported the secure shell (SSH) to enable centralized administration of remote instances on Windows systems. However, because SSH is not native to the Windows operating system, considerable setup is required to install and configure an SSH provider. DCOM provides an alternative on Windows systems to SSH for communications between hosts in a GlassFish Server cluster.

For more information, see "Enabling Centralized Administration of GlassFish Server Instances" in *GlassFish Server Open Source Edition High Availability Administration Guide*.

mod_proxy_ajp Support

GlassFish Server now supports Apache HTTP Server as a front end using the Apache Connector `mod_proxy_ajp`. For more information, see "Administering `mod_proxy_ajp`" in *GlassFish Server Open Source Edition Administration Guide* and "Configuring GlassFish Server with Apache HTTP Server and `mod_proxy_ajp`" in *GlassFish Server Open Source Edition High Availability Administration Guide*.

GMS Without Multicast Support

GlassFish Server now supports the use of the Group Management Service (GMS) in networks in which multicast transport is unavailable. In previous releases of GlassFish Server, the use of GMS required multicast transport to be available. For more information, see "Group Management Service" in *GlassFish Server Open Source Edition High Availability Administration Guide*.

TopLink and MOXy Support

Oracle TopLink is the default persistence provider in Oracle GlassFish Server. TopLink includes all of EclipseLink, from the Eclipse Foundation. EclipseLink is the default persistence provider in GlassFish Server Open Source Edition. EclipseLink implements the following specifications, plus value-added extensions:

- Java Persistence Architecture (JPA) 2.0. For details about JPA support in GlassFish Server, see "Configuring the Java Persistence Provider" in *GlassFish Server Open Source Edition Application Development Guide*.
- Java Architecture for XML Binding (JAXB) 2.0. The EclipseLink JAXB implementation, plus EclipseLink extensions, is called MOXy. The `org.eclipse.persistence.moxy.jar` file is bundled with GlassFish Server. For more information about MOXy support in GlassFish Server, see "The Databinding Provider" in *GlassFish Server Open Source Edition Application Development Guide*.
- EclipseLink utilities are not included but can be used with GlassFish Server. Download the EclipseLink zip file at <http://www.eclipse.org/eclipselink/downloads/> and unzip it.

In addition to all of EclipseLink, Oracle TopLink includes TopLink Grid, an integration between TopLink and Oracle Coherence that allows TopLink to use Oracle Coherence as a level 2 (L2) cache and persistence layer for entities. The `toplink-grid.jar` file is bundled with Oracle GlassFish Server.

Note: You must have a license for Oracle Coherence to be able to use TopLink Grid.

Transaction Recovery from a Database

Recovering transactions from a database has been possible in previous releases. However, it has been more limited than recovering transactions from a file system. This release brings database recovery support up to parity with file system recovery support.

Transaction logging is designed to work with any JDBC-compliant database. Transaction logging has been tested with the Java DB and Oracle databases listed in the certification matrix. See [Supported Platforms, JDK Versions, Browsers, mod_jk, and JDBC Drivers and Databases](#).

New Thread Pool Properties

New properties based on the `ThreadPoolExecutor` class (<http://docs.oracle.com/javase/6/docs/api/java/util/concurrent/ThreadPoolExecutor.html>) allow you to configure the EJB container's common thread pool. For more information, see the online help for the EJB container.

New Library Management Commands

New `asadmin` subcommands allow you to add one or more library archive files to GlassFish Server. You can add library files to the following directories:

- Common class loader directory, `domain-dir/lib`
- Java optional package directory, `domain-dir/lib/ext`
- Application-specific class loader directory, `domain-dir/lib/applibs`

For more information, see the `add-library(1)`, `list-libraries(1)`, and `remove-library(1)` descriptions in the *GlassFish Server Open Source Edition Reference Manual*.

Updated OSGi Module Management Subsystem

The OSGi module management subsystem in this release of GlassFish Server has been updated to version 4.3 of the Apache Felix OSGi framework. For more information about this subsystem, see "OSGi Module Management Subsystem" in *GlassFish Server Open Source Edition Administration Guide*.

GlassFish Server Samples for NetBeans

NetBeans version 7.1.1 includes sample applications designed to work with GlassFish Server that demonstrate the following features:

- Basic use of the GlassFish Server Embedded API
- Use of the Embedded API `CommandRunner`
- EJB unit testing using the Maven plugin
- Application-scoped resources using the built-in Java DB database

For more information, see <http://www.netbeans.org/>.

Hardware and Software Requirements

This section lists the requirements that must be met before installing GlassFish Server 3.1.2 software.

The following topics are addressed here:

- [Supported Platforms, JDK Versions, Browsers, `mod_jk`, and JDBC Drivers and Databases](#)
- [System Virtualization Support](#)
- [Required Disk Space](#)
- [Required Free Ports](#)
- [Message Queue Broker Requirements](#)
- [Important Patch Information](#)
- [Paths and Environment Settings for the JDK Software](#)

Supported Platforms, JDK Versions, Browsers, `mod_jk`, and JDBC Drivers and Databases

Certification matrices containing complete information about supported operating environments, hardware, JDK versions, browsers, `mod_jk`, and JDBC drivers and databases for GlassFish Server are available in the following location:

GlassFish Server 3.1.2 Certification Matrix

(<http://www.oracle.com/technetwork/middleware/ias/downloads/fusion-certification-100350.html>)

Also be sure to see [Paths and Environment Settings for the JDK Software](#) for important JDK configuration instructions.

Note: It is recommended that any machine that is hosting a GlassFish Server DAS or server instance have a minimum of 1 GB RAM. The GlassFish Server Performance Tuner should also be used on each of these machines to optimize the server configuration for the particular hardware. Refer to the Performance Tuner online help in the GlassFish Server Administration Console and the *GlassFish Server Open Source Edition Performance Tuning Guide* for more information.

System Virtualization Support

System virtualization is a technology that enables multiple operating system (OS) instances to execute independently on shared hardware. Functionally, software deployed to an OS hosted in a virtualized environment is generally unaware that the underlying platform has been virtualized. Oracle performs testing of its Java-based products on select system virtualization and OS combinations to help validate that the Oracle products continue to function on properly sized and configured virtualized environments as they do on non-virtualized systems.

For information about Oracle support for Oracle Java-based products in virtualized environments, see Supported Virtualization and Partitioning Technologies for Oracle Fusion Middleware (<http://www.oracle.com/technetwork/middleware/ias/oracleas-supported-virtualization-089265.html>). In particular, refer to the section titled, "Oracle Branded Sun Product Releases Support."

Required Disk Space

The download sizes for GlassFish Server 3.1.2 vary depending on the package you choose. The following are the approximate sizes of the multilingual (ML) executable and ZIP packages for the Full and Web profiles:

- Full, ML, *.sh: 62 MB
- Web, ML, *.sh: 39 MB
- Full, ML, *.exe: 62 MB
- Web, ML, *.exe: 39 MB
- Full, ML, *.zip: 99 MB (118 MB unzipped)
- Web, ML, *.zip: 60 MB (75 MB unzipped)

The installation sizes will vary depending on your configuration, but the approximate amount of disk space used by a GlassFish Server 3.1.2 is as follows:

- Full: 250 MB
- Web: 150 MB

Required Free Ports

You must have seventeen unused ports available for the ports GlassFish Server uses. The installation program automatically detects ports that are in use and suggests currently unused ports for the default settings. The initial default port assignments are listed in the following table. If these default port numbers are in use, the installation program assigns a randomly selected port number from the dynamic port range. The selected port number might not be the next available port number.

Table 1–3 Default Port Assignments for GlassFish Server 3.1.2

Port Number	Usage
4848	Administration Console
8080	HTTP
8081	HTTPS
8686	Pure JMX clients
3700	IIOP
3820	IIOP/SSL
3920	IIOP/SSL with mutual authentication
22	SSH port
9009	Java debugger
6666	OSGi shell telnet port
7676	JMS provider
Auto-generated from the operating system's dynamic port range	Message Queue TCP port
Auto-generated from the operating system's dynamic port range	Message Queue Admin port
9090	GMS TCP start port
9200	GMS TCP end port
Auto-generated between GMS TCP start and end ports	GMS listener port
Auto generated between 2048 and 49151	GMS multicast port

Message Queue Broker Requirements

GlassFish Server 3.1.2 is now bundled with Message Queue (MQ) Broker 4.5 SP2. Refer to the *Open Message Queue Release Notes* for complete information about MQ Broker requirements.

Important Patch Information

If you are using the Solaris 10 operating system, you must apply all relevant patches or patch clusters that are listed on the My Oracle Support (<https://support.oracle.com>) site.

Paths and Environment Settings for the JDK Software

Ensure that your JDK configuration settings on all local and remote GlassFish Server hosts adhere to the guidelines listed below. Failure to adhere to these guidelines can cause various problems that may be difficult to trace.

The following topics are addressed here:

- [Use the Correct Java Version](#)
- [Use the JDK Binaries](#)
- [Set the JAVA_HOME Environment Variable](#)
- [Set Other Environment Variables As Necessary](#)

Use the Correct Java Version

Ensure that the version of Java used on all local and remote GlassFish Server hosts meets the requirements specified in [Supported Platforms](#), [JDK Versions](#), [Browsers](#), [mod_jk](#), and [JDBC Drivers and Databases](#).

Use the JDK Binaries

The following binary files that are used with GlassFish Server must come from the JDK software, not the Java Runtime Environment (JRE) software:

- java
- keytool

To meet this requirement, ensure that the `bin` directory for the JDK software precedes the `bin` directory for the JRE software in your path.

Set the `JAVA_HOME` Environment Variable

Before performing any GlassFish Server installation or configuration procedures, set the `JAVA_HOME` environment variable on the GlassFish Server host machine to point to the correct Java version. Also be sure to add the `JAVA_HOME/bin` directory to the `PATH` variable for your environment. The `JAVA_HOME` variable must be set on all local and remote GlassFish Server hosts.

Set Other Environment Variables As Necessary

All remote `asadmin` subcommands require the correct version of Java to be available on the affected remote machine. For example, when creating a cluster or server instance on a remote machine, the remote machine uses its local default Java installation, not the Java installation that is on the DAS. Errors will therefore occur if the remote machine uses the wrong Java version.

Depending on the remote subcommand, the errors may not occur when the subcommand is executed, but may occur later, when interacting with a configuration or resource created or modified by the subcommand. For example, when creating a clustered server instance on a remote machine, the error may only first appear when you attempt to deploy an application on that server instance.

This issue is more likely to be encountered when GlassFish Server is installed on the remote server by means of a ZIP file package rather than a self-extracting installer run in GUI mode. This is because the GUI installer gives you the option to specifically choose your Java version, whereas you do not have that option when simply unzipping a ZIP file.

Depending on what shell is invoked via SSH on the remote host, the `JAVA_HOME` and `PATH` environment variables may need to be explicitly set in `.bashrc`, `.cshrc`, or some other shell configuration file. This configuration file may differ from the one that is used when you log in to the machine, such as `.profile`.

Alternatively, you can specifically set the Java path with the `AS_JAVA` property in the in the `as-install/config/asenv.conf` file.

Known Issues in GlassFish Server 3.1.2

This section describes known issues and any available workarounds for GlassFish Server Open Source Edition 3.1.2 software.

The following topics are addressed here:

- `restart-instance` takes a long time on Solaris 11 (`sun.security.pkcs11.SunPKCS11`) (15537)
- Accept multiple certs for admin authentication (16437)
- `tcp-no-delay` attribute in `Http` is not working (16902)
- Invoking GF installer on AIX 6.1 with JDK6 64 bit gives Warning (16667)
- (JDK) NLS: Crashed when tried to install the bundle in ko locale (16699)
- `PKG_CLIENT_READ_TIMEOUT` is too small (16999)
- cannot remote deploy large wars (15773)
- Fail to install the bundle named with `-jdk7` when unset `JAVA_HOME` in solaris 11 Express x86 (16698)
- `asadmin` timeout from HA short execution on AIX (16960)
- `domain.xml` encoding can cause upgrade problems and startup failure with certain locale changes (16304, 16700)
- Unable to restart Embedded GlassFish Server instance once a remote EJB is deployed (16916)
- EJB Timer Service is not loaded correctly after Embedded GlassFish Server restart (16230)
- Stopping Embedded GlassFish Server leaves several daemon threads running (11088)
- [OWSM] Interop Metro-WLS:NPE WSSECURITYTOKEN NULL for WSSE:SECURITYTOKENREFERENCE (Issue 9716247)
- [JDK_Issue] Performance degradation caused by invoking `setSoLinger` or `setReuseAddress` (Issue 7109)
- [JDK_Issue] IO exception: invalid argument during longevity test (Issue 7529)
- File permissions on `domain /applications` directory can cause `NullPointerException` (Issue 6545)
- Issues occur with ZIP distribution if UAC enabled on Windows 7 and Vista (Issue 10755)
- [Open Installer] Option `-l` to relocate log files ignored on Windows (Issue 10693)
- [Open Installer] Start menus not displayed and then empty on Windows Vista (Issue 5087)
- Standalone Update Tool fails with segmentation fault on Solaris (Issue 11222)
- Java EE 6 Managed Bean support not available in app clients launched using Java Web Start (Issue 11257)
- Warning messages when invoking `appclient` script on Mac OS X with Apple Java implementation (Issue 8644)
- Unable to open installation log files using links on the Summary screen on Linux and Mac OS (Issue 6621)
- `updatetool` command does not work if you reinstall into the same install directory on Windows (Issue 8233)
- Problems debugging JPA (Issue 11274)

- There doesn't appear to be any explanation about the classpath-prefix and classpath-suffix in the GF 3.x documentation (Issue 16082)
- Windows startup menu shows single entry on multiple installation of Glassfish 3.1 (7002744)
- New Grizzly integration required for <http://java.net/jira/browse/GRIZZLY-970> (15909)
- ReleaseNotes: document Restart Required issues (Umbrella issue 16040)
- [UB]org.osgi.framework.BundleException during shutdown after upgrade (15441)
- Update coordinates failure with enable-security-admin (7017384)
- Man page for list-supported-cipher-suites (15998)
- Description of create-jacc-provider references JSR196 but the command has nothing to do with JSR196 and JAAS (15999)
- lazy-init attribute missing from admin console Edit IIOP Listener page (15975)
- RMICConnectorStarter constructs invalid URLs with a literal IPv6 address (15937)
- man-page-review umbrella issue (15929)
- [UB]Release note security permissions required for CDI applications (15456)
- build 40 : list-jmsdest for cluster1 not working, it just hangs
- Create Resource Adapter Config is throwing an exception if JMS is already started (15571)
- [Release Note]Samples. at ant all output was seen URL for samples that don't have a web client (12264)
- Domain.xml: setting protocol.http-listener-1.http.max-connections set in 1 or -1 (16025)
- Intermittent issue : Left tree not refreshed when new elements are added/removed in IE and firefox (15997)
- [UB][regression] jpaRLCreateEMF failure on sybase (15763)
- Admin Console: intermittent Blank Screen (15633)
- Caching JMS session in a session bean causes errors when invoked by a MDB when under load (15558)
- Domain fails to stop after console loaded (with secure admin enabled) (15482)
- Modifying keyfile path in a newly created config does not properly list the users (15429)
- [BigApps] [STRESS] ~17 occurrences of "EOFException" warnings coming from JMS (15424)
- Mysql ping fails when additional properties are not deleted (14547)
- If TS resource had been changed, tables are not created after server restart (13873)
- GlassFish/Grizzly not able to accept new request if a remote client hangs (6963818)
- JSF PhaseListener executed for each virtual host (15809)
- could not find Factory: javax.faces.context.FacesContextFactory (16061)

- GlassFish installer needs to prompt user to set MQ admin password (12305750)
- App client cannot find EJB behind NAT (17147) and EJB remote deployed on GF behind a NAT inaccessible (17151)
- `asadmin update-node-ssh` command hangs when SSH port is not provided (18185)
- QL bean-validator/simple-bv-servlet test failed in security_manager ON mode (17288)
- Virtual network interfaces introduced by virtualization systems regress Glassfish 3.1.2 GMS auto selection of an appropriate network interface to use (18024)
- Require username/password to access admin console locally (18063)
- Failure to replicate sessions larger than 64kB with only one active clustered instance (18085)
- [JRokit-intermittent] Observed 100% CPU usage & deploy taking > 5 minutes when running the Coherence HA tests (18222)
- IE9 and Google Chrome only: Export a LB config xml not working properly (18281)
- `AccessControlException` in Coherence*Web Test with Security Manager On (13614812)
- Traffic loss during instance start between the time 8080 is up and application is loaded (18267)
- Repeated Deploy & Undeploy of a Coherence 3.7.1 enabled application causes an `OutOfMemory (PermGen space)` error (18309)
- JMS Connection Factories tree node should not include JMS Destination Resources (18314)
- Install silent option does not store admin password input (18318)
- Appclient appending an extra \$ and \r for arguments passed (18332)
- Custom installation crashes when "Configure an existing installation" selected (17269)
- `SocketException` While Starting Cluster with Coherence on AIX (13704617)
- Unable to set a value on the lb config's `rewrite-location` property when using `jdk 1.7.0_03` (18368)

restart-instance takes a long time on Solaris 11 (`sun.security.pkcs11.SunPKCS11`) (15537)

Description

The `asadmin restart-domain` and `restart-instance` subcommands intermittently hang on Solaris 11 systems. This is caused by native Security SPI code in the JDK. This issue does not occur on operating systems other than Solaris 11.

Workaround

None. This issue does not cause any problems other than the occasional long wait for the subcommand to complete.

For the complete report about this issue, see GLASSFISH-15537 (<http://java.net/jira/browse/GLASSFISH-15537>).

Accept multiple certs for admin authentication (16437)

Description

If you enabled secure admin for a GlassFish Server 3.1 domain, the domain remains enabled for secure admin when you install GlassFish Server 3.1.2.

However, GlassFish Server 3.1.2 uses a stronger technique to make sure that servers in one domain do not accidentally communicate with servers in another domain.

Workaround

Your updated GlassFish Server 3.1.2 domain does not use the improved domain isolation technique until you run the following command once:

```
asadmin> enable-secure-admin
```

You do not need to specify any other arguments with the command, even if you did so when you first enabled secure admin on your GlassFish Server 3.1 domain. GlassFish Server 3.1.2 automatically begins using the better algorithm from that point on.

For the complete report about this issue, see GLASSFISH-16437 (<http://java.net/jira/browse/GLASSFISH-16437>).

tcp-no-delay attribute in Http is not working (16902)

Description

The tcp-no-delay attribute for HTTP type network listeners is not working properly. Setting this attribute as follows has no effect:

```
asadmin> set
server-config.network-config.protocols.protocol.http-listener-1.http.tcp-no-delay=
true
```

Workaround

Set the tcpNoDelay property of the HTTP service instead, as follows:

```
asadmin> set server-config.http-service.property.tcpNoDelay=true
```

This enables tcpNoDelay for all network listeners.

For the complete report about this issue, see GLASSFISH-16902 (<http://java.net/jira/browse/GLASSFISH-16902>).

Invoking GF installer on AIX 6.1 with JDK6 64 bit gives Warning (16667)

Description

When the GlassFish Server installer is invoked on the AIX 6.1 platform with the 64-bit version of JDK 6, the following warning is displayed on the screen:

```
Warning: Could not detect OS Architecture, falling back to os.arch
[Architecture=ppc64]
```

Workaround

None. This warning is harmless and can be ignored.

(JDK) NLS: Crashed when tried to install the bundle in ko locale (16699)**Description**

Installation of the Solaris x86 SDK bundle fails in the ko and zh_TW locales.

Workaround

GlassFish Server users can install the ZIP distribution or temporarily switch to an unaffected locale. SDK users can install using the Update Center or temporarily switch to an unaffected locale.

PKG_CLIENT_READ_TIMEOUT is too small (16999)**Description**

Installation of the Update Center sometimes times out and fails.

Workaround

If Update Center installation fails in the installer or when running `pkg` or `updatetool` from the command line, enter the following from the command line:

```
> set PKG_CLIENT_CONNECT_TIMEOUT=300> set PKG_CLIENT_READ_TIMEOUT=300>
glassfish3\bin\updatetool
```

cannot remote deploy large wars (15773)**Description**

By default, when you enable secure admin, the GlassFish Server DAS does not use SSL client certificate authentication to verify the identify of administration clients (such as the `asadmin` utility, browsers, or IDEs). Instead, the administrative user typically provides a username and password which authorize performance of administrative operations. To enable admin request SSL client certificate support in the DAS, set the following system property to true:

Note: This issue applies only to administrative clients sending administration messages to the domain administration server (DAS). It does not apply to end-user clients sending messages to applications.

`org.glassfish.admin.DASCheckAdminCert`

This does not disable username and password authentication. It simply adds client SSL certificate-based authentication as another alternative the DAS can use.

If you perform the following steps, then GlassFish Server might report communication errors related to SSL:

1. Enable secure admin for the domain.
2. Enable admin request SSL client certificate support as just described.
3. Use an administration client that is not configured to send an SSL client certificate for authentication.
4. Upload a moderate or large file as part of deployment.

This can happen if the upload is in progress when the GlassFish Server DAS requests certificate information from the administration client. This happens only if the client was not configured to use an SSL certificate.

Workaround

To enable admin request SSL client certificate support and deploy a large file, first upload the file manually to the system where the DAS is running or store the file in a shared file system that both your system and the DAS system can access. Then do not specify `--upload=true` when you deploy the application. The DAS finds the file without uploading it, so the certificate negotiation between the DAS and the administration client can complete normally.

Fail to install the bundle named with `-jdk7` when unset `JAVA_HOME` in solaris 11 Express x86 (16698)

Description

The JDK bundle is not installed if the `JAVA_HOME` or `PATH` environment variable is not set properly.

Workaround

Do one of the following:

- Add the actual JDK installation location to the `PATH`.
- Add the directory for a stand-alone JDK installation to the `PATH`.
- Set `JAVA_HOME` to the actual JDK installation location.
- Run the `/usr/sbin/pkg developer/java/jdk` command from the root (`/`) directory. If this command reports that the `developer/java/jdk` package is not installed, install that package before installing GlassFish Server.

asadmin timeout from HA short execution on AIX (16960)

Description

During High Availability testing on AIX, the Domain Admin Server (DAS) freezes and requires a complete restart.

Workaround

An IBM patch can be downloaded from

<https://www-304.ibm.com/support/docview.wss?uid=isg1fixinfo117990>.

domain.xml encoding can cause upgrade problems and startup failure with certain locale changes (16304, 16700)

Description

If you change the system locale to something incompatible with the current encoding of the domain.xml file, GlassFish Server fails to start. This can happen during an upgrade.

Workaround

Change the system locale back to the previous setting.

If you are upgrading, convert the domain.xml file to native encoding before upgrading. On Unix systems, follow these steps:

1. Back up the domain.xml file.
2. Run the following commands:


```
native2ascii domain.xml domain.xml.ascii
native2ascii -reverse -encoding UTF-8 domain.xml.ascii domain.xml
```
3. Run the asupgrade command under c:\glassfish311\glassfish\bin\.
4. Run the following commands:

```
native2ascii -encoding UTF-8 domain.xml domain.xml.ascii
native2ascii -reverse domain.xml.ascii domain.xml
```

Unable to restart Embedded GlassFish Server instance once a remote EJB is deployed (16916)

Description

Code that performs these steps fails with ORB and EJB container exceptions at the restart step:

1. Start embedded GlassFish Server.
2. Deploy a remote EJB application.

3. Undeploy the application.
4. Stop the server.
5. Restart the server.
6. Redeploy the application.

Workaround

Perform these steps:

1. Start embedded GlassFish Server.
2. Deploy a remote EJB application.
3. Undeploy the application.
4. Stop the server using the `dispose` method.
5. Restart the host virtual machine (JVM).
6. Recreate the embedded GlassFish Server instance.
7. Redeploy the application.

EJB Timer Service is not loaded correctly after Embedded GlassFish Server restart (16230)

Description

Code that performs these steps fails at the redeploy step:

1. Start embedded GlassFish Server.
2. Deploy an application that uses the EJB Timer Service.
3. Undeploy the application.
4. Stop the server.
5. Restart the server.
6. Redeploy the application.

Workaround

Perform these steps:

1. Start embedded GlassFish Server.
2. Deploy an application that uses the EJB Timer Service.
3. Undeploy the application.
4. Stop the server using the `dispose` method.
5. Restart the host virtual machine (JVM).
6. Recreate the embedded GlassFish Server instance.
7. Redeploy the application.

Stopping Embedded GlassFish Server leaves several daemon threads running (11088)

Description

After you stop embedded GlassFish Server, some daemon threads continue to run. Some of these threads don't exit until the virtual machine (JVM) exits. Restarting embedded GlassFish Server repeatedly in the same JVM can cause Out of Memory errors.

Workaround

Restart the JVM.

[OWSM] Interop Metro-WLS:NPE WSSECURITYTOKEN NULL for WSSE:SECURITYTOKENREFERENCE (Issue 9716247)

Description

There is an issue with web services communication between GlassFish Server Metro and Oracle WebLogic Server when using the Oracle Web Services Manager (OWSM) `wss11_saml_token_with_message_protection_service_policy` policy.

Workaround

The fix for this problem is in Oracle WebLogic Server 11.1.1.4.0. See the Oracle WebLogic

(<http://www.oracle.com/technetwork/middleware/weblogic/overview/index.html>) product page for more information.

[JDK_Issue] Performance degradation caused by invoking `setSoLinger` or `setReuseAddress` (Issue 7109)

Description

When the `setSoLinger` method or the `setReuseAddress` method is invoked, performance is degraded and the following exception is thrown:

```
[#|2009-01-26T00:33:56.325-0800|WARNING|sun-appserver9.1|
javax.enterprise.system.container.web|_ThreadID=17;
_ThreadName=SelectorReaderThread-8084;
_RequestID=11ae0030-c392-4217-8408-cfa7efe0a879;|setSoLinger
exception
java.net.SocketException: Invalid argument
```

This issue is caused by an issue with the JDK software. This issue is resolved in JDK version 7.

Workaround

None.

For the complete report about this issue, see GLASSFISH-7109 (<http://java.net/jira/browse/GLASSFISH-7109>).

[JDK_Issue] IO exception: invalid argument during longevity test (Issue 7529)

Description

During an HTTP longevity test, the following exception is thrown 42 hours into the run:

```
[#|2009-04-05T17:41:26.537-0700|SEVERE|glassfish|javax.enterprise.system.core|
_ThreadID=15;_ThreadName=Thread-1;|doSelect
exception
java.io.IOException: Invalid argument
```

The instance and application are still accessible during the run.

This issue is caused by an issue with the JDK software. This issue is resolved in JDK version 7.

Workaround

None.

For the complete report about this issue, see GLASSFISH-7529 (<http://java.net/jira/browse/GLASSFISH-7529>).

File permissions on domain /applications directory can cause NullPointerException (Issue 6545)

Description

If a domain's /applications directory restricts access, or if you use directory deployment from a restricted directory, the server cannot read the files in the expanded directory. A NullPointerException error occurs during deployment.

Workaround

Change the file access settings for such directories to grant the server permission to read the directory contents.

For the complete report about this issue, see GLASSFISH-6545 (<http://java.net/jira/browse/GLASSFISH-6545>).

Issues occur with ZIP distribution if UAC enabled on Windows 7 and Vista (Issue 10755)

Description

Some features will not work well on Windows 7 and Vista with User Account Control (UAC) enabled. One example is the Administration Console, which cannot be launched.

Workaround

Disable UAC and reboot.

For the complete report about this issue, see GLASSFISH-10755 (<http://java.net/jira/browse/GLASSFISH-10755>).

[Open Installer] Option -1 to relocate log files ignored on Windows (Issue 10693)

Description

Option -l to relocate log files is ignored when used with options -a and -s and the log files are created in the default location.

Workaround

None.

For the complete report about this issue, see GLASSFISH-10693 (<http://java.net/jira/browse/GLASSFISH-10693>).

[Open Installer] Start menus not displayed and then empty on Windows Vista (Issue 5087)**Description**

The Start menu group for GlassFish Server is not displayed after installation is first completed. If you log out and then log back in, the menu group is displayed but it is empty.

Workaround

None.

For the complete report about this issue, see GLASSFISH-5087 (<http://java.net/jira/browse/GLASSFISH-5087>).

Standalone Update Tool fails with segmentation fault on Solaris (Issue 11222)**Description**

The standalone Update Tool started with the `updatetool` command fails with a segmentation fault on Solaris when installing add-on components.

Workaround

Ensure that your system conforms to the standalone Update Tool patch requirements as defined in the Update Center Release Notes (<http://wiki.updatecenter.java.net/Wiki.jsp?page=UC2Documentation.ReleaseNotes.2.3>).

Update Tool functionality in the Administration Console uses a different Java-based Update Center API and is not affected by this issue.

For the complete report about this issue, see GLASSFISH-11222 (<http://java.net/jira/browse/GLASSFISH-11222>).

Java EE 6 Managed Bean support not available in app clients launched using Java Web Start (Issue 11257)

Description

When using Java Web Start to launch an application client, any managed beans in the application client will not be recognized.

Workaround

Launch the application client using the `appclient` script. Managed beans in the application client will be supported normally.

For the complete report about this issue, see GLASSFISH-11257 (<http://java.net/jira/browse/GLASSFISH-11257>).

Warning messages when invoking `appclient` script on Mac OS X with Apple Java implementation (Issue 8644)**Description**

When you invoke the `appclient` script on Mac OS X systems with Java from Apple installed, the following stack trace is seen twice (only the first few lines are shown here):

```
Intentionally suppressing recursive invocation exception!
java.lang.IllegalStateException: recursive invocation
    at java.lang.ClassLoader.initSystemClassLoader(ClassLoader.java:1394)
    at java.lang.ClassLoader.getSystemClassLoader(ClassLoader.java:1377)
    at sun.security.jca.ProviderConfig$1.run(ProviderConfig.java:64)
    ...
```

Workaround

None needed.

Despite the warning messages, the client will be launched successfully and run normally. These errors are from an issue in the Apple Java implementation.

For the complete report about this issue, see GLASSFISH-8644 (<http://java.net/jira/browse/GLASSFISH-8644>).

Unable to open installation log files using links on the Summary screen on Linux and Mac OS (Issue 6621)**Description**

Installation log files cannot be opened by clicking the links on the Summary page that displays at the end of the installation process in the graphical installer.

Workaround

Access the files manually. The names of the installation log and summary files are *timestamp-install.log* and *timestamp-install-summary.html*. On Linux and Mac systems these files are generated under the `$TMP` directory.

For the complete report about this issue, see GLASSFISH-6621 (<http://java.net/jira/browse/GLASSFISH-6621>).

updatetool command does not work if you reinstall into the same install directory on Windows (Issue 8233)

Description

If you reinstall GlassFish Server (with Update Tool) in the same installation directory with the same defaults and invoke Update Tool using the `updatetool` command, you receive a message saying that Update Tool is not installed and are asked if you want to install it. This occurs on Windows systems only.

Workaround

Following uninstallation, manually remove the remaining `.org*` directory before reinstalling.

For more information this issue, see GLASSFISH-8233 (<http://java.net/jira/browse/GLASSFISH-8233>).

Problems debugging JPA (Issue 11274)

Description

Debugging JPA is difficult because of limited messages from the server.

Workaround

Add the property `org.eclipse.persistence.session.level=INFO` to the `logging.properties` file. You can then use the Administration Console to control EclipseLink loggers.

For the complete report about this issue, see GLASSFISH-11274 (<http://java.net/jira/browse/GLASSFISH-11274>).

There doesn't appear to be any explanation about the classpath-prefix and classpath-suffix in the GF 3.x documentation (Issue 16082)

Description

In previous GlassFish Server versions, the JVM options provided a `classpath-prefix` and `classpath-suffix` attributes that made it possible to add JAR files or directories either in front of, or after the application server's system classpath. These options are no longer present in GlassFish Server 3.1.2.

Starting with GlassFish Server v3 Preview, after switching to OSGi, the `classpath-prefix` and `classpath-suffix` options have been labeled "do not use."

Workaround

The `classpath-prefix` was typically used to substitute another package for one of the GlassFish Server packages, for example if a newer one was available. This same result can be achieved by using the Java Endorsed Standards Override Mechanism or on a per-application basis with the `--libraries` option for the `deploy` subcommand. These are documented in the *GlassFish Server Open Source Edition Application Development*

Guide. The Java Optional Package Mechanism, which is documented in this guide, does what `classpath-suffix` used to do.

Windows startup menu shows single entry on multiple installation of Glassfish 3.1 (7002744)

Description

Windows Start Menu shows a single GlassFish Server even when multiple GlassFish Server installations are installed.

Workaround

None. When running GlassFish Server from the Start menu, the most recent installation starts. Similarly, when uninstalling from the Start menu, the last installed version is uninstalled.

New Grizzly integration required for <http://java.net/jira/browse/GRIZZLY-970> (15909)

Description

There is a known security vulnerability with Grizzly when running Java Runtime Environment 6 versions prior to Update 24. See

<http://java.net/jira/browse/GRIZZLY-970> for details.

Workaround

Use Java Runtime Environment 6 update 24 or greater to avoid the vulnerability. Oracle has released a security alert for this issue. For instructions on how to resolve it, see http://blogs.oracle.com/security/2011/02/security_alert_for_cve-2010-44.html.

For the complete report about this issue, see GLASSFISH-15909 (<http://java.net/jira/browse/GLASSFISH-15909>).

ReleaseNotes: document Restart Required issues (Umbrella issue 16040)

Description

There are a number of configuration functions for which a server restart is required, and a number for which a restart is not required. However, the underlying component modules for the functions listed below are not correctly prompting the user about the restart requirements. These incorrect or missing restart prompts occur regardless of whether the given function is performed from the command line or through the Administration Console.

This is an umbrella issue for the sub-issues listed below. The URL for the JIRA query that you can use to display all these sub-issues is <http://java.net/jira/secure/IssueNavigator.jspa?mode=hide&requestId=10358>.

- GLASSFISH-16100 (<http://java.net/jira/browse/GLASSFISH-16100>): Restart required for java mail session debug change, exception in server.log
- GLASSFISH-16013 (<http://java.net/jira/browse/GLASSFISH-16013>): RestartRequired: changing http port does not trigger restart required message for a standalone instance
- GLASSFISH-16010 (<http://java.net/jira/browse/GLASSFISH-16010>): Restart Required: After changing JMS Type server instance is not reported as requiring restart
- GLASSFISH-15758 (<http://java.net/jira/browse/GLASSFISH-15758>): Restart Required status for remote instances does not get reset even when instance is restarted.
- GLASSFISH-15638 (<http://java.net/jira/browse/GLASSFISH-15638>): Show "restart required" status when IIOP service configuration / port is changed
- GLASSFISH-15635 (<http://java.net/jira/browse/GLASSFISH-15635>): [UB]Show "restart required" status when a new resource is created or deleted
- GLASSFISH-15629 (<http://java.net/jira/browse/GLASSFISH-15629>): [UB]Show "restart required" status when JDBC connection pool properties are changed
- GLASSFISH-15619 (<http://java.net/jira/browse/GLASSFISH-15619>): [UB]show "restart required" status when connector connection pool properties are changed
- GLASSFISH-15517 (<http://java.net/jira/browse/GLASSFISH-15517>): "Restart Required" when no changes are made to JVM options
- GLASSFISH-15507 (<http://java.net/jira/browse/GLASSFISH-15507>): [UB]DOC: Server restart is required after secure-admin is enabled or disabled
- GLASSFISH-14515 (<http://java.net/jira/browse/GLASSFISH-14515>): [UB]Restart not required for changes in resources
- GLASSFISH-3850 (<http://java.net/jira/browse/GLASSFISH-3850>): Changing default realm does not indicate that a server restart required

Workaround

Restart the DAS after performing any of the functions listed above.

For the complete report about this issue, see GLASSFISH-16040 (<http://java.net/jira/browse/GLASSFISH-16040>).

[UB]org.osgi.framework.BundleException during shutdown after upgrade (15441)

Description

When shutting down a server that was started with the `java -jar` command, a large number of exceptions may sometimes be displayed in the console. Shutting down a server that was started with the `--verbose` option also causes this error.

Workaround

These are harmless exceptions and can be ignored. The errors are only displayed in the console when the server that is being shut down was started in either `--verbose` mode or by using the `java -jar` command. Also note that the `--upgrade` option implies `--verbose`, so shutting down a server that was started with the `--upgrade` option may also produce this error.

For the complete report about this issue, see GLASSFISH-15441 (<http://java.net/jira/browse/GLASSFISH-15441>).

Update coordinates failure with `enable-security-admin` (7017384)

Description

The `asadmin update-admin-server-coordinates` subcommand fails if `secure-admin` is enabled.

Workaround

Either disable `secure-admin`, or use the `--adminport` option with the `update-admin-server-coordinates` subcommand to explicitly set the port you want to use.

For more information, see `enable-secure-admin(1)`.

Man page for `list-supported-cipher-suites` (15998)

Description

The example in the man page for the `list-supported-cipher-suites` subcommand lists the Kerberos cipher (`*_KRB5_*`) suites, but the Kerberos suites are not supported in GlassFish Server 3.1.2.

Workaround

None. This is a documentation error. Kerberos cipher suites are not supported in GlassFish Server 3.1.2.

Description of `create-jacc-provider` references JSR196 but the command has nothing to do with JSR196 and JAAS (15999)

Description

The subcommand description in `create-jacc-provider` man page references JSR196 and JAAS but the subcommand has nothing to do with those specifications. In addition, there is a typographical error in the subcommand example. Finally, the subcommand description for the `delete-jacc-provider` should be reworded.

Workaround

These man page errors will be corrected in the next GlassFish Server release. In the meantime, note the following:

- The subcommand description in `create-jacc-provider` man page should read as follows:

The `create-jacc-provider` subcommand creates a JSR-115-compliant Java Authorization Contract for Containers (JACC) provider that can be used for the authorization of applications running in GlassFish Server. The JACC provider is created as a `jacc-provider` element within the `security-service` element in the domain's `domain.xml` file.

The default GlassFish Server installation includes two JACC providers, named `default` and `simple`. Any JACC providers created with the `create-jacc-provider` subcommand are in addition to these two default providers. The default GlassFish Server JACC providers implement a simple, file-based authorization engine that complies with the JACC specification. The `create-jacc-provider` subcommand makes it possible to specify additional third-party JACC providers.

Any number of `jacc-provider` elements can be created under the `security-service` but the GlassFish Server runtime will use only one of them at any given time. The `jacc` attribute on the `security-service` points to the name of the provider that is currently in use by GlassFish Server. Any change to the `jacc` attribute (to make it point to a different `jacc-provider`) would require a server restart. This command is supported in remote mode only.

- The `create-jacc-provider` subcommand sample should read:

```
asadmin> create-jacc-provider
--policyproviderclass com.sun.enterprise.security.provider.PolicyWrapper
--policyconfigfactoryclass
com.sun.enterprise.security.provider.PolicyConfigurationFactoryImpl
```

- The subcommand description in `delete-jacc-provider` man page should read as follows:

The JACC provider used by GlassFish Server for authorization is specified by the `jacc` attribute in the `security-service` configuration element. If you are deleting the provider pointed to by the `jacc` attribute, ensure that the attribute value is also changed to the name of some other `jacc-provider` that exists under the `security-service`. Any change to the `jacc` attribute for a running service requires a server restart.

lazy-init attribute missing from admin console Edit IIOP Listener page (15975)

Description

It is not possible to set the `lazy-init` value for an IIOP listener from either the GlassFish Server Administration Console or the command line. Even the `asadmin set` command cannot be used to change the value.

Workaround

Currently, the only workaround for this issue is to edit the `domain.xml` file directly. For example, the `domain.xml` file could contain a property similar to the following:

```
<iiop-listener port="3700" id="orb-listener-1" address="0.0.0.0"
lazy-init="true"></iiop-listener>
```

In this example, the `lazy-init` property is enabled, and it can be disabled by changing the `lazy-init` value to `false`.

Note that lazy-init is disabled by default, so the domain.xml file could contain an iiop-listener element similar to the following:

```
<iiop-listener port="3700" id="orb-listener-1" address="0.0.0.0"></iiop-listener>
```

In this case, to enable lazy-init, you would add the following property to the iiop-listener element:

```
lazy-init="true"
```

For the complete report about this issue, see GLASSFISH-15975 (<http://java.net/jira/browse/GLASSFISH-15975>).

RMISocketConnector constructs invalid URLs with a literal IPv6 address (15937)

Description

When using GlassFish Server 3.1.2 on a system that uses IPv6 addressing, and there is a need to make the JMX service listen on a specific IPv6 address, and the address is specified as a literal IPv6 address, the RMISocketConnector class constructs an invalid URL in the start method.

For example, if your domain.xml contains the following:

```
<jmx-connector port="8686" address="e80::216:3eff:fe3e:4c35"
security-enabled="false"
auth-realm-name="admin-realm" name="system"></jmx-connector>
```

The server will not open the JMX RMI port successfully and exceptions will be reported in the log file.

Workaround

The recommended workaround for this problem is to not use a literal address. Instead, define a name for the address, either in DNS or the hosts file, and then use that name as the value for the address for the JMX listener.

An alternate workaround is to enclose the address value in square braces. For example, use:

```
<jmx-connector port="8686" address="[e80::216:3eff:fe3e:4c35]"
security-enabled="false"
auth-realm-name="admin-realm" name="system"></jmx-connector>
```

Caution: This issue is planned to be fixed in either a 3.1.2 patch or a subsequent GlassFish Server release. This alternate workaround will cause the system to operate incorrectly when the issue is fixed. The square braces will need to be removed after the fix is applied.

For the complete report about this issue, see GLASSFISH-15937 (<http://java.net/jira/browse/GLASSFISH-15937>).

man-page-review umbrella issue (15929)

Description

During the final GlassFish Server 3.1.2 development phase, fixes were made to a number of man pages after the man pages had already been localized. For users of non-EN locales, these corrections will not appear in the man pages, but are correctly displayed in the *GlassFish Server Open Source Edition Reference Manual*.

This is an umbrella issue that includes the following man page review issues:

- GLASSFISH-15875 man-page-review : list-admin-objects, list-connector-resources, list-jndi-resources
- GLASSFISH-15958 man page: webtier CLIs
- GLASSFISH-15878 man-page-review : create-jdbc-connection-pool
- GLASSFISH-15877 man-page-review : remove the section "Application Scoped Resources" from multiple resource man-pages
- GLASSFISH-15879 man-page-review : note about resource-ref in multiple resource related commands
- GLASSFISH-15962 Man page for update-node-config is wrong about SSH nodes
- GLASSFISH-15876 man-page-review : list-connector-resources, list-jndi-resources
- GLASSFISH-15873 man-page-review : delete-resource-adapter-config
- GLASSFISH-15872 man-page : flush-connection-pool, ping-connection-pool
- GLASSFISH-15874 man-page-review : delete-connector-resource, delete-jdbc-resource, delete-jndi-resource
- GLASSFISH-15566 change-master-password --help has wrong content
- GLASSFISH-15485 Error in man pages for restart-local-instance, start-local-instance, stop-local-instance
- GLASSFISH-15867 documentation of create-system-properties has inconsistencies
- GLASSFISH-15919 man-page-review: jms CLIs
- GLASSFISH-3198 Synopsis for asadmin help create-custom-resource wrong
- GLASSFISH-15564 create-http-health-checker man page error
- GLASSFISH-15956 man page: remove --upgrade option from start-local-instance
- GLASSFISH-15947 Remove --upgrade from start-local-instance man page

Workaround

The correct man pages are displayed in GlassFish Server distributions for the EN locale, and will be available for all locales in GlassFish Server 3.2. In the meantime, users of non-EN 3.1.2 locales should refer to the *GlassFish Server Open Source Edition Reference Manual* for the latest subcommand usage instructions.

For the complete report about this issue, see GLASSFISH-15929 (<http://java.net/jira/browse/GLASSFISH-15929>).

[UB]Release note security permissions required for CDI applications (15456)

Description

It is necessary to grant additional permissions to CDI-enabled Java EE applications that are deployed in a GlassFish Server 3.1.2 domain or cluster for which security manager is enabled. These additional permissions are not required when security manager is disabled.

Workaround

To deploy CDI-enabled Java EE applications in a GlassFish Server 3.1.2 domain or cluster for which security manager is enabled, add the following permissions to the applications:

```
grant codeBase "file:${com.sun.aas.instanceRoot}/applications/[ApplicationName]" {  
    permission java.lang.reflect.ReflectPermission "suppressAccessChecks";  
};
```

For example, for a CDI application named `foo.war`, add the following permissions to the `server.policy` file, restart the domain or cluster, and then deploy and use the application.

```
grant codeBase "file:${com.sun.aas.instanceRoot}/applications/foo" {  
    permission java.lang.reflect.ReflectPermission "suppressAccessChecks";  
};
```

See "Changing Permissions for an Application" in *GlassFish Server Open Source Edition Application Development Guide* for instructions on modifying application permissions. See "Enabling and Disabling the Security Manager" in *GlassFish Server Open Source Edition Application Development Guide* for instructions on enabling and disabling security manager. For the complete report about this issue, see GLASSFISH-15456 (<http://java.net/jira/browse/GLASSFISH-15456>).

build 40 : list-jmsdest for cluster1 not working, it just hangs

Description

Listing JMS physical destinations causes the DAS to hang if the MQ Broker for the instance is not started. This issue occurs in both the Administration Console and when using the `asadmin list-jmsdest` subcommand.

Workaround

All JMS destination subcommands, including `list-jmsdest`, `create-jmsdest`, `delete-jmsdest`, and `flush-jmsdest` requires the MQ broker for the instance to be running. For more information, see the *Open Message Queue Release Notes*.

Create Resource Adapter Config is throwing an exception if JMS is already started (15571)

Description

Creating a JMSRA resource adapter configuration and setting the thread pool to `http-thread-pool` generates an exception in the `server.log`.

Workaround

GlassFish Server 3.1.2 provides Grizzly-based and ORB-based thread pool implementations. By default, the `create-resource-adapter-config` subcommand takes a `thread-pool` ID parameter that is based on an ORB thread pool. When a *thread-pool* is initialized, the ORB thread pool manager verifies that the *thread-pool* is not already being used by the Grizzly thread pool manager. The *thread-pool* is initialized only if Grizzly is not already using the configuration.

For more information, see "Administering the Object Request Broker (ORB)" in *GlassFish Server Open Source Edition Administration Guide*. For the complete report about this issue, see GLASSFISH-15571

(<http://java.net/jira/browse/GLASSFISH-15571>).

[Release Note]Samples. at ant all output was seen URL for samples that don't have a web client (12264)

Description

When running the GlassFish Server sample files, the output generated by the `ant all` command displays deployment URLs even for applications that do not have a Web client. For example, the `criteriaQuery` and `hello-jaxws2.2` sample applications do not have a Web client, but `ant all` still generates `deploy-url` messages for them, similar to the following:

```
Application deployed at http://localhost:8080/criteriaQuery
Application deployed at http://localhost:8080/hello-jaxws2.2
```

Workaround

This is a simple message string error, and does not affect the functionality of the samples. Ignore this message for applications that do not have a Web client and corresponding URL.

For the complete report about this issue, see GLASSFISH-12264

(<http://java.net/jira/browse/GLASSFISH-12264>).

Domain.xml: setting protocol.http-listener-1.http.max-connections set in 1 or -1 (16025)

Description

The man page for the `create-transport` man page states the following for the `--maxconnectionscount` option:

The maximum number of connections for the network listener that references this transport. A value of `-1` specifies no limit. The default value is 4096.

However, because of a GlassFish Server bug, setting the `--maxconnectionscount` value to `-1` disables keep-alive for the connection.

Workaround

Use the following values for `--maxconnectionscount`:

-1

Currently does not correctly set the `--maxconnectionscount` to unlimited. Instead, specify some big number, up to `Integer.MAX_VALUE`.

1

Process one keep-alive request, and then close the connection after processing the second request on the same connection.

0

Disable keep-alive for the connection

For more information, see "Timeout" in *GlassFish Server Open Source Edition Performance Tuning Guide*. For the complete report about this issue, see GLASSFISH-16025 (<http://java.net/jira/browse/GLASSFISH-16025>).

Intermittent issue : Left tree not refreshed when new elements are added/removed in IE and firefox (15997)

Description

When running the GlassFish Server Administration Console in some versions of Internet Explorer and Firefox, the node tree on the left side of the Administration Console is not always updated correctly when new elements are added to the server configuration. For example, the node tree may not update correctly after adding a new JDBC Pool, resource, or virtual server. This issue is not consistently reproducible and is very intermittent.

Workaround

Reload the Administration Console by pressing the Home button or the browser's reload button to update the values in the node tree.

For the complete report about this issue, see GLASSFISH-15997 (<http://java.net/jira/browse/GLASSFISH-15997>).

[UB][regression] jpaRLCreateEMF failure on sybase (15763)

Description

When using the DataDirect driver with Sybase, inserting an entity that uses `GenerationType.IDENTITY` will fail. The problem is that the DataDirect driver creates a stored procedure for every parameterized prepared statement.

Workaround

Set the `PrepareMethod=direct` property on the corresponding datasource to change the default DataDirect behavior for handling prepared statements.

For the complete report about this issue, see GLASSFISH-15763 (<http://java.net/jira/browse/GLASSFISH-15763>).

Admin Console: intermittent Blank Screen (15633)

Description

The Administration Console sometimes simply displays a blank screen even though the status bar in the browser window indicates that the page loading is complete. This can happen if you have been working in the Administration Console and then restart the server from the command line. This can also happen after upgrading or reinstalling GlassFish Server.

Workaround

This issue can usually be resolved by doing a Shift+Reload in your browser window. In some cases, particularly when the error occurs after a GlassFish Server upgrade or reinstallation, it may be necessary to clear your browser's cache, cookies, and active logins going back at least one day in the browser history.

For the complete report about this issue, see GLASSFISH-15633 (<http://java.net/jira/browse/GLASSFISH-15633>).

Caching JMS session in a session bean causes errors when invoked by a MDB when under load (15558)**Description**

A stateless session bean should not save JMS connections or sessions in fields of the bean. Applications that do so may encounter errors.

Workaround

To avoid this issue, if a stateless session bean's business method requires the use of a JMS connection and session, then the business method should create the JMS connection and session, use it to send or receive messages, and then close the connection and session before returning.

For the complete report about this issue, see GLASSFISH-15558 (<http://java.net/jira/browse/GLASSFISH-15558>).

Domain fails to stop after console loaded (with secure admin enabled) (15482)**Description**

Server fails to stop when in secure admin mode and the Administration Console has been loaded.

Workaround

This is just one of a number of issues that may occur when using a JDK version lower than 1.6.0_22. Ensure that you are using JDK 1.6.0_22 or later. See [Hardware and Software Requirements](#) for complete information about GlassFish Server 3.1.2 JDK requirements.

For the complete report about this issue, see GLASSFISH-15482 (<http://java.net/jira/browse/GLASSFISH-15482>).

Modifying keyfile path in a newly created config does not properly list the users (15429)

Description

If an `asadmin set` subcommand is executed to change a realm-property for a realm that is already loaded (perhaps due to an earlier CLI command targeted at the realm), then the realm continues to behave as if the `set` subcommand was not executed.

Workaround

Restart GlassFish Server after using a `set` subcommand to change a property for a realm that has already been loaded.

For the complete report about this issue, see GLASSFISH-15429 (<http://java.net/jira/browse/GLASSFISH-15429>).

[BigApps] [STRESS] ~17 occurrences of "EOFException" warnings coming from JMS (15424)

Description

Very occasionally, WARNING messages that state "java.io.EOFException: Trying to read 72 bytes. Already read 0 bytes" may be observed in the server log.

Workaround

If no other messages or exceptions are logged at the same time in either the server or broker logs these messages may be ignored.

For the complete report about this issue, see GLASSFISH-15424 (<http://java.net/jira/browse/GLASSFISH-15424>).

Mysql ping fails when additional properties are not deleted (14547)

Description

Performing a MySQL ping after setting nonstandard for `mysql-pool`, the following error message is displayed:

```
Ping failed Exception - Access denied to execute this method :  
setLargeRowSizeThreshold Please check the server.log for more details.
```

Workaround

Only set the standard documented properties for `mysql-pool`. These properties are as follows:

- "databaseName"
- "serverName"
- "port"
- "networkProtocol"
- "user"
- "password"
- "roleName"

- "datasourceName"

For more information, see "Configuration Specifics for JDBC Drivers" in *GlassFish Server Open Source Edition Administration Guide*. For the complete report about this issue, see GLASSFISH-14547

(<http://java.net/jira/browse/GLASSFISH-14547>).

If TS resource had been changed, tables are not created after server restart (13873)

Description

If an EJB Timer resource is changed after the EJB Timer Service is started on a previous resource, the EJB Timer table is not created after a server restart.

Workaround

The DAS must be restarted if any automatic timers are to be deployed. In addition, unless the EJB Timer table is created manually, the *domain-dir/generated/ejb-timer-service-app* marker file also needs to be removed.

For the complete report about this issue, see GLASSFISH-13873

(<http://java.net/jira/browse/GLASSFISH-13873>).

GlassFish/Grizzly not able to accept new request if a remote client hangs (6963818)

Description

When closing an idle or expired connection, Grizzly waits a period of time, called the linger time, for any pending data transmission to complete. If the client on the connection is not network accessible, GlassFish Server might appear to hang.

Workaround

Add the following JVM option to the configuration:

```
-Dcom.sun.enterprise.web.connector.grizzly.linger=-1
```

JSF `PhaseListener` executed for each virtual host (15809)

Description

JSF 2.0 `PhaseListeners` are executed on each virtual server for any given request. In a multiple virtual server scenario, this means the `PhaseListener` is invoked multiple times, once for each VM.

The root cause of the problem, like most Mojarra-with-Virtual Server problems, is the invalidity of the assumption that there is always just one `ServletContext` per application per VM. In the case of N virtual servers, there are N `ServletContext` instances (and attendant lifecycle listener calls) per application per VM. For example, in a seven-node virtual server scenario, the `PhaseListeners` are invoked seven times.

Workaround

Create a custom `LifecycleFactory` instance that correctly handles the virtual server case. Details for doing this are provided in

http://java.net/jira/secure/attachment/44826/i_gf_15809-workaround.txt.

For the complete report about this issue, see GLASSFISH-15809

(<http://java.net/jira/browse/GLASSFISH-15809>).

could not find Factory: javax.faces.context.FacesContextFactory (16061)**Description**

JSF/Seam 3 applications intermittently fail to start, generating an error message similar to the following:

```
WARNING: StandardWrapperValve[FacesServlet]: PWC1382: Allocate exception
for servlet FacesServlet
java.lang.IllegalStateException: Application was not properly initialized at
startup, could not find Factory: javax.faces.context.FacesContextFactory
```

This issue may occur when a JSF application does not register the Faces Servlet in the application's `web.xml` file. The `com.sun.faces.config.FacesInitializer` will attempt to initialize the JSF Servlet, which normally works without problem, except when Seam Faces is included in the application, which also tries to initialize the Servlet. This issue is not deterministic because of the random ordering of listeners by GlassFish Server.

Workaround

Add the following code to the `web.xml` file for the application:

```
<servlet>
<servlet-name>Faces Servlet</servlet-name>
<servlet-class>javax.faces.webapp.FacesServlet</servlet-class>
<load-on-startup>1</load-on-startup>
</servlet>
```

For the complete report about this issue, see GLASSFISH-16061

(<http://java.net/jira/browse/GLASSFISH-16061>).

GlassFish installer needs to prompt user to set MQ admin password (12305750)**Description**

Open Message Queue (MQ) 4.5 SP2 and GlassFish Server 3.1.2 are now installed together through a common installation program. Prior versions of MQ and GlassFish Server were installed separately through their own installation programs.

The older MQ installation program prompted the user to set an MQ administrator password, but the GlassFish Server 3.1.2 installer does not. Instead, in GlassFish Server 3.1.2 with MQ 4.5 SP2, the default behavior at MQ instance startup is to generate content for a file-based user repository configuration file named `passwd`. By default, this file-based user repository is configured as the MQ repository to be used to

authenticate client connections to the broker. The default `passwd` file contains the following user entries:

User Name	Password
admin	admin
guest	guest

These credentials may not match those used for the GlassFish Server administrator.

Workaround

Ideally, the GlassFish Server administrator and MQ administrator should share the same user credentials because the two products are now the same. Functionality for setting the MQ administrator user name and password during product installation are planned for future versions of the GlassFish Server installer.

In the meantime, there are several post-installation workarounds, listed below, that you can perform on the MQ side with the `imqusermgr` User Manager utility to change or set the MQ administrator user name and password. In all cases, see "User Manager Utility" in *Open Message Queue Administration Guide* for more detailed information about this utility.

- **Change the credentials for an existing MQ Broker instance.**

Use the `imqusermgr` User Manager utility to administer MQ Broker passwords.

- **Set the credentials that will subsequently be used for all new MQ Broker instances.**

The instructions vary slightly, depending on whether you want to create a new MQ administrator user name or if the user name will remain unchanged.

- **If creating a new MQ administrator user name**

Delete the existing MQ administrator user name.

```
as-install-parent/mq/imqusermgr delete -u admin -c -varhome tmp-dir -s -f
```

Create the new MQ administrator user name.

```
as-install-parent/mq/imqusermgr add -u user-name -p password -c -varhome tmp-dir -s -f
```

- **If reusing the existing MQ administrator user name and only updating the password**

Update the administrator password.

```
as-install-parent/mq/imqusermgr update -u admin -p password -c -varhome tmp-dir -s -f
```

Move the MQ Broker `accesscontrol.properties` file to the GlassFish Server installation.

```
mv tmp-dir/instances/imqbroker/etc/accesscontrol.properties
as-install-parent/mq/etc
```

App client cannot find EJB behind NAT (17147) and EJB remote deployed on GF behind a NAT inaccessible (17151)

Description

The IIOP protocol as implemented in GlassFish Server calls the ORB to locate the EJB component. Because the EJB component is deployed on the same server as the ORB, the ORB sends the private IP address to the client instead of the public IP address. The ORB has no way of knowing the public IP address, which is determined by the firewall. The client then tries to connect using the private IP address, which does not go through the firewall.

Workaround

None. There is no properly tested workaround available for this issue.

asadmin update-node-ssh command hangs when SSH port is not provided (18185)

Description

If you attempt to change a DCOM node to an SSH node, using either the Edit Node page of the Administration Console or the `asadmin update-node-ssh` command, the operation fails unless you specify the SSH port.

Workaround

In the Edit Node page of the Administration Console, enter the port number. When using the `asadmin update-node-ssh` command, specify the `--sshport` option. The default SSH port value is 22.

QL bean-validator/simple-bv-servlet test failed in security_manager ON mode (17288)

Description

Code that invokes `equals()` on an instance of `java.lang.annotation.Annotation` causes an `AccessControlException` when running in the IBM JDK but succeeds without an exception in a similar version of the Oracle JDK.

Workaround

Include the following grant in the `server.policy` file, substituting the name of your application for `app-name`:

```
grant codeBase "file:${com.sun.aas.instanceRoot}/applications/app-name/-" {  
  permission java.lang.reflect.ReflectPermission "suppressAccessChecks";  
};
```

This workaround was tested with the following versions:

- Java version 1.6.0
- Java SE Runtime Environment (build pap3260sr9fp1-20110208_03(SR9 FP1))
- IBM J9 VM (build 2.4, JRE 1.6.0 IBM J9 2.4 AIX ppc-32 jvmap3260sr9-20110203_74623 (JIT enabled, AOT enabled))

- J9VM - 20110203_074623
- JIT - r9_20101028_17488ifx3
- GC - 20101027_AA)
- JCL - 20110203_01
- `uname -a` output included AIX 1 6 00090DB6D700

Virtual network interfaces introduced by virtualization systems regress Glassfish 3.1.2 GMS auto selection of an appropriate network interface to use (18024)

Description

The introduction of non-multicast mode for Group Management Services (GMS) in GlassFish Server 3.1.2 altered which network interface was automatically selected to be used on a multi-homed machine for clustering communications. This change can result in some clustered instances no longer being able to join their running cluster.

In GlassFish Server 3.1-3.1.1, a network interface that did not support multicast was not considered as a candidate to be selected as the network interface to be used for cluster communications. Thus, the automatic selection of network interfaces was impacted. Specifically, virtual network interfaces that used to be ignored because they did not support multicast can be incorrectly selected as the default network interfaces for cluster communications.

Workaround

Do one of the following:

- Disable or remove the network interfaces that are being selected incorrectly.
- Specify which network interface to use on the machine(s) selecting the incorrect network interface. For more information, see "Using the Multi-Homing Feature With GMS" in *GlassFish Server Open Source Edition High Availability Administration Guide*.

Require username/password to access admin console locally (18063)

Description

If you try to use the Administration Console from a system through a proxy server on another system back to the original system, while using the system's full host name (instead of `localhost` or `127.0.0.1`) you are denied access because the request is treated as a remote request, which requires that secure admin be enabled.

Workaround

Do one of the following:

- Do not use a proxy server.
- Use `localhost` or `127.0.0.1` as the host name.
- Enable secure admin so that what GlassFish Server interprets as a remote request is accepted as such.

To enable secure admin, see "Managing Administrative Security" in *GlassFish Server Open Source Edition Security Guide*.

Failure to replicate sessions larger than 64kB with only one active clustered instance (18085)

Description

If a cluster has only one running server instance and high availability is enabled, you may see the following log message indicating session replication failure:

```
Multicast datagram of size 155?379 exceeds max multicast size 65?536
```

The high-availability subsystem is sending replica sessions to null, which translates to a UDP broadcast. Broadcasts over UDP multicast never support a size larger than 64K.

Workaround

Always ensure that at least two clustered instances are running. Use the `asadmin get-health cluster-name` command to monitor a cluster's health (see the *GlassFish Server Open Source Edition Reference Manual*). There is also information in the server log that indicates how many cluster members are running in a cluster.

[JRockit-intermittent] Observed 100% CPU usage & deploy taking > 5 minutes when running the Coherence HA tests (18222)

Description

When JRockit and Coherence*Web are both used in combination with GlassFish Server, and a Coherence*Web enabled application is deployed, CPU usage sometimes reaches 100% and deployment sometimes fails.

Workaround

Use the Oracle JDK instead of JRockit.

IE9 and Google Chrome only: Export a LB config xml not working properly (18281)

Description

If you are using the Internet Explorer 9 or Google Chrome browser, export of the `loadbalancer.xml` file succeeds but causes the Administration Console to hang.

Workaround

Use a different browser.

AccessControlException in Coherence*Web Test with Security Manager On (13614812)

Description

If the security manager is on, tests for using Coherence*Web and TopLink Grid with GlassFish Server fail.

Workaround

If the security manager is on and you are using Coherence bundled with your application through either Toplink Grid or Coherence*Web, grant the following permissions to your application's codebase in the security.policy file, substituting the name of your application for *app-name*:

```
grant codeBase "file:${com.sun.aas.instanceRoot}/applications/app-name/-"
{
    permission java.lang.reflect.ReflectPermission "suppressAccessChecks";
    permission java.lang.RuntimePermission "modifyThread";
    permission java.lang.RuntimePermission "accessDeclaredMembers";
    permission java.lang.RuntimePermission "createClassLoader";
    permission java.lang.RuntimePermission "getClassLoader";
    permission java.lang.RuntimePermission "getenv.*";
    permission java.lang.RuntimePermission "getProtectionDomain";
    permission java.lang.RuntimePermission "selectorProvider";
    permission java.lang.RuntimePermission "setContextClassLoader";
    permission java.lang.RuntimePermission "shutdownHooks";
    permission java.net.SocketPermission "*", "accept,connect,resolve,listen";
    permission java.security.SecurityPermission
"insertProvider.CoherenceSecurityProvider";
    permission java.security.SecurityPermission
"putProviderProperty.CoherenceSecurityProvider";
    permission java.util.PropertyPermission "java.net.preferIPv4Stack", "read";
    permission java.util.PropertyPermission "java.net.preferIPv6Addresses",
"read";
    permission java.util.PropertyPermission "java.version", "read";
    permission java.util.PropertyPermission "os.arch", "read";
    permission java.util.PropertyPermission "os.name", "read";
    permission java.util.PropertyPermission "sun.arch.data.model", "read";
    permission java.util.PropertyPermission "tangosol.*", "read";
    permission java.util.PropertyPermission "user.dir", "read";
    permission java.util.PropertyPermission "buffermanager.*", "read";
    permission java.util.PropertyPermission "sbm.cleanup.frequency", "read";
    permission javax.management.MBeanPermission "com.tangosol.*", "*";
    permission javax.management.MBeanServerPermission "*";
    permission javax.management.MBeanTrustPermission "*";
    permission javax.security.auth.AuthPermission "getSubject";
    permission java.security.SecurityPermission
"putProviderProperty.OracleCommonsSecurityProvider";
    permission java.security.SecurityPermission
"insertProvider.OracleCommonsSecurityProvider";
    permission java.lang.RuntimePermission "modifyThread";
};
```

Traffic loss during instance start between the time 8080 is up and application is loaded (18267)

Description

A traffic loss occurs when a clustered server instance is restarting. There is a time gap of a few seconds between when port 8080 is running and when application loading is complete. During this gap client requests are denied with a 404 error.

Workaround

None. The client must retry the request after application loading is complete.

Repeated Deploy & Undeploy of a Coherence 3.7.1 enabled application causes an OutOfMemory (PermGen space) error (18309)**Description**

Repeated redeployment of a Coherence 3.7.1 enabled application may cause a memory leak and lead to an `OutOfMemory` error. The cluster may become unusable. After an instance in the cluster has shown the error, `asadmin` commands that operate on the entire cluster may return with an `SSLHandshakeException` message and fail.

Workaround

Use Coherence 3.7.0 instead.

If you must use Coherence 3.7.1, to get the cluster back in use:

1. Identify the instances that have gone `OutOfMemory` by looking at each instance's server logs.
2. Kill those instances from the command line using the `kill -9 pid` command.
3. Restart the cluster using the `asadmin start-cluster cluster-name` command.

JMS Connection Factories tree node should not include JMS Destination Resources (18314)**Description**

When you create a JMS Destination Resource in the Administration Console, this resource gets added under the Resources > JMS Resources > Connection Factories node. When you click on this entry, a `java.lang.NullPointerException` is thrown.

Workaround

The table listing of Connection Factories in the right frame of the Administration Console is correct. Use the table listing instead.

Install silent option does not store admin password input (18318)**Description**

The GlassFish Server installer provides an option to create a silent file that records all user choices and is only supported in the Typical scenario. This silent file can later be used to perform installation without user interaction.

The generated silent file does not contain any passwords. If this file is used for running automated silent installation, the created GlassFish Server domain provides an unauthenticated login mechanism.

Workaround

Use interactive installation if you want the GlassFish Server domain to require passwords.

Appclient appending an extra \$ and \r for arguments passed (18332)

Description

When you try to run an application client on Windows with `cygwin`, the application client is appending extra characters to the arguments. For example, for a simple parameter 3, it is sending `$'3\r'`.

Workaround

Depending on how your application client handles command-line arguments, you might be able to work around this problem without changing your application client by adding an extra command-line argument. For example, instead of entering this command:

```
appclient -jar mydir/MyClient.jar 3
```

You could enter this command:

```
appclient -jar mydir/MyClient.jar 3 extra
```

This adds the trailing `\r` to the last argument, `extra`, protecting the previous ones. Note that this does not work if your application client handles all the arguments on the line in some way.

Another workaround is to modify your application client to use `String.trim` on the arguments, or at least the last one, which removes any trailing `\r` character.

Custom installation crashes when "Configure an existing installation" selected (17269)

Description

GlassFish Server installation crashes if you perform these steps:

1. Select Custom Installation on the Installation Type page and then Next.
2. Select Install Only on the Installation page and then Next.
3. Select Back on the Install Directory page.
4. Select Configure an Existing Installation on the Installation page and Next.
5. Select Next on the Install Directory page.

Workaround

To configure an existing installation, go directly to this option without selecting a different option first.

SocketException While Starting Cluster with Coherence on AIX (13704617)

Description

The Coherence JPA tests with TopLink Grid failed to insert an entity on AIX with the following error:

```
The socket name is not available on this system
```

Workaround

Define a JVM property that specifies use of an IPV4 stack as follows:

```
asadmin create-jvm-options --target cluster-name -java.net.preferIPv4Stack=true
```

Unable to set a value on the lb config's rewrite-location property when using jdk 1.7.0_03 (18368)

Description

If the JDK version is 1.7.0_03 and you attempt to set the `rewrite-location` load balancer property using the `asadmin set` command, the command fails.

Workaround

Set the `rewrite-location` property by editing the `loadbalancer.xml` file, located in the `web-server-install/https-machine-name/conf` directory.

Restrictions and Deprecated Functionality

This section describes restrictions and deprecated functionality in Oracle GlassFish Server 3.1.2.

The following topics are addressed here:

- [Node Agent Support](#)
- [HADB and hadbm Command Support](#)
- [asadmin Subcommands](#)
- [Deprecated, Unsupported, and Obsolete Options](#)
- [Applications That Use Java DB](#)
- [No Support for Client VM on Windows AMD64](#)
- [Metro Reliable Messaging in InOrder Delivery Mode](#)
- [No Support for Kerberos on AIX](#)
- [Persistence of EJB References in HTTP Sessions Not Supported for Coherence*Web](#)

Node Agent Support

GlassFish Server 3.1.2 does not support node agents. When updating from installations of earlier product versions in which node agents were configured, the cluster

definitions will be migrated, but the clustered instances themselves must be manually recreated. See "Upgrading Clusters and Node Agent Configurations" in *GlassFish Server Open Source Edition Upgrade Guide* for more information.

HADB and `hadbm` Command Support

GlassFish Server 3.1.2 does not support HADB or the `hadbm` management command.

Instead of HADB, GlassFish Server 3.1.2 supports high availability clustering by means of in-memory session state replication and Active Cache for GlassFish. See "High Availability in GlassFish Server" in *GlassFish Server Open Source Edition High Availability Administration Guide* for more information.

`asadmin` Subcommands

In GlassFish Server 3.1.2, it is recommended that utility options of the `asadmin` command precede the subcommand. Utility options are options that control the behavior of the `asadmin` utility, as distinguished from subcommand options. Use of the following options after the subcommand is deprecated.

- `--host`
- `--port`
- `--user`
- `--passwordfile`
- `--terse`
- `--secure`
- `--echo`
- `--interactive`

Deprecated, Unsupported, and Obsolete Options

Options in [Table 1–4](#) are deprecated or no longer supported, or are obsolete and are ignored.

Table 1–4 *Deprecated, Unsupported, and Obsolete Options for `asadmin` and Subcommands*

Option	Affected Subcommands
<code>--acceptlang</code>	Unsupported for the <code>create-virtual-server</code> subcommand.
<code>--acls</code>	Unsupported for the <code>create-virtual-server</code> subcommand.
<code>--adminpassword</code>	Unsupported for all relevant subcommands. Use <code>--passwordfile</code> instead.
<code>--autoapplyenabled</code>	Obsolete for the <code>create-http-lb</code> subcommand.
<code>--autohadb</code>	Obsolete for the <code>create-cluster</code> subcommand.
<code>--autohadboverride</code>	Obsolete for the <code>start-cluster</code> subcommand and the <code>stop-cluster</code> subcommand
<code>--blockingenabled</code>	Unsupported for the <code>create-http-listener</code> subcommand.
<code>--configfile</code>	Unsupported for the <code>create-virtual-server</code> subcommand.
<code>--defaultobj</code>	Unsupported for the <code>create-virtual-server</code> subcommand.

Table 1–4 (Cont.) Deprecated, Unsupported, and Obsolete Options for `asadmin` and Subcommands

Option	Affected Subcommands
<code>--defaulttvs</code>	Deprecated for the <code>create-http-listener</code> subcommand. Use <code>--default-virtual-server</code> instead.
<code>--description</code>	Obsolete for the <code>restore-domain</code> subcommand.
<code>--devicesize</code>	Obsolete for the <code>create-cluster</code> subcommand.
<code>--haadminpassword</code>	Obsolete for the <code>create-cluster</code> subcommand.
<code>--haadminpasswordfile</code>	Obsolete for the <code>create-cluster</code> subcommand.
<code>--haagentport</code>	Obsolete for the <code>create-cluster</code> subcommand.
<code>--haproperty</code>	Obsolete for the <code>create-cluster</code> subcommand.
<code>--hosts</code>	Obsolete for the <code>create-cluster</code> subcommand.
<code>--ignoreDescriptorItem</code>	Replaced by the all lowercase option <code>--ignoredescriptoritem</code> in the <code>set-web-context-param</code> subcommand and the <code>set-web-env-entry</code> subcommand.
<code>--mime</code>	Unsupported for the <code>create-virtual-server</code> subcommand.
<code>--password</code>	Unsupported for all remote subcommands. Use <code>--passwordfile</code> instead.
<code>--path</code>	Unsupported for the <code>create-domain</code> subcommand. Use <code>--domainindir</code> instead.
<code>--portbase</code>	Obsolete <i>only</i> for the <code>create-cluster</code> subcommand. This option is still valid in other subcommands such as <code>create-domain</code> , <code>create-instance</code> , and <code>create-local-instance</code> .
<code>--resourcetype</code>	Unsupported for all relevant subcommands. Use <code>--restype</code> instead.
<code>--retrievefile</code>	Obsolete for the <code>export-http-lb-config</code> subcommand.
<code>--setenv</code>	Obsolete for the <code>start-instance</code> subcommand.
<code>--target</code>	Obsolete <i>only</i> for the following subcommands: <ul style="list-style-type: none"> ■ <code>create-connector-connection-pool</code> ■ <code>create-resource-adapter-config</code> ■ <code>delete-connector-connection-pool</code> ■ <code>delete-connector-security-map</code> ■ <code>delete-jdbc-connection-pool</code> ■ <code>delete-resource-ref</code> Replaced by an operand in the <code>list-custom-resources</code> subcommand and the <code>list-jndi-entries</code> subcommand:

Applications That Use Java DB

The directory location of Java DB in GlassFish Server 3.1.2 has changed from its location in previous installations. Suppose that you have deployed applications that use Java DB databases in your previous server installation, and you upgrade your existing installation to GlassFish Server 3.1.2. If you run the `asadmin start-database` command and successfully start Java DB, you could run into problems while trying to run applications that were deployed on your previous server installation.

To solve this problem, you can copy the `databases` directory from your previous installation to `as-install/databases`. Make sure the database is not running when you do this.

Alternatively, you can perform these steps:

1. Use the `asadmin start-database` command with the `--dbhome` option pointing to the `databases` directory in the older version of Java DB. For example:

```
asadmin start-database --dbhome c:\glassfish\databases
```

2. After upgrade, start GlassFish Server 3.1.2.

No Support for Client VM on Windows AMD64

By default, the GlassFish Server DAS uses the Client VM to achieve best startup and deployment performance. If you are using Windows AMD64, edit the `domain.xml` file to remove the line `<jvm-options>-client</jvm-options>`. In this case, JVM ergonomics chooses the appropriate kind of VM for the given platform. Note that server instances use the Server VM by default.

For more information about platform support, see Ergonomics in the 5.0 Java Virtual Machine (<http://java.sun.com/docs/hotspot/gc5.0/ergo5.html>).

Metro Reliable Messaging in InOrder Delivery Mode

The Metro Reliable Messaging in InOrder Delivery mode has not been tested for high availability in GlassFish Server 3.1.2. The feature may work, but it has not been formally tested and is therefore not a supported feature.

No Support for Kerberos on AIX

GlassFish Server 3.1.2 does not support Kerberos on the AIX platform.

For the complete report about this issue, see GLASSFISH-16728 (<http://java.net/jira/browse/GLASSFISH-16728>).

Persistence of EJB References in HTTP Sessions Not Supported for Coherence*Web

GlassFish Server and Coherence*Web serialize EJB references differently. Therefore, GlassFish Server 3.1.2 does not support persistence of EJB references in HTTP sessions when Coherence*Web is the persistence type.

Features Available Only in the Full Platform Profile

The following features of GlassFish Server 3.1.2 are available only in the Full Platform Profile:

- EJB features that make up the full EJB 3.1 API, such as remote EJB components, message-driven beans, web service EJB endpoints, and the EJB Timer Service
The EJB 3.1 Lite specification is supported in the Web Profile. This specification allows enterprise beans within web applications and includes support for local stateless session beans, stateful session beans, and singleton session beans.
- Application Client Container
- JMS resources
- Web services

In the Web Profile, a servlet or EJB component cannot be a web service endpoint. The `sun-web.xml` and `sun-ejb-jar.xml` elements that are related to web services are ignored.

- Message security
- JavaMail resources

Connector modules that use only outbound communication features and work-management that does not involve inbound communication features are supported in the Web Profile. Other connector features are supported only in the Full Platform Profile.

Java EE 6 Standards Support

Table 1–5 lists the Java EE 6 standards implemented in GlassFish Server 3.1.2. The table also indicates the distributions in which the implementation of a standard is available.

- X indicates that the implementation is available in the distribution.
- - indicates that the implementation is *not* available in the distribution.

Table 1–5 Java EE 6 Standards Implementations in GlassFish Server 3.1.2

Java EE Standard	Java Specification Request (JSR)	GlassFish Server 3.1.2 Full Platform Profile	GlassFish Server 3.1.2 Web Profile
Java Platform, Enterprise Edition 6 (http://download.oracle.com/docs/cd/E17410_01/javaee/6/api/)	JSR 316 (http://jcp.org/aboutJava/communityprocess/pr/jsr316/)	X	X
Java Servlet Technology 3.0 (http://www.oracle.com/technetwork/java/index-jsp-135475.html)	JSR 315 (http://jcp.org/en/jsr/detail?id=315)	X	X
JavaServer Pages 2.2 (http://www.oracle.com/technetwork/java/javaee/jsp/index.html)	JSR 245 (http://jcp.org/en/jsr/detail?id=245)	X	X
Expression Language 2.2	JSR 245 (http://jcp.org/en/jsr/detail?id=245)	X	X
Debugging Support for Other Languages 1.0	JSR 45 (http://jcp.org/en/jsr/detail?id=45)	X	X
Standard Tag Library for JavaServer Pages 1.2 (http://www.oracle.com/technetwork/java/index-jsp-135995.html)	JSR 52 (http://jcp.org/en/jsr/detail?id=52)	X	X
JavaServer Faces 2.1 (http://www.oracle.com/technetwork/java/javaee/javaxserverfaces-139869.html)	JSR 314 (http://jcp.org/en/jsr/detail?id=314)	X	X
Common Annotations for the Java Platform 1.1	JSR 250 (http://jcp.org/en/jsr/detail?id=250)	X	X
Java Transaction API 1.1 (http://www.oracle.com/technetwork/java/javaee/tech/index.html)	JSR 907 (http://jcp.org/en/jsr/detail?id=907)	X	X

Table 1–5 (Cont.) Java EE 6 Standards Implementations in GlassFish Server 3.1.2

Java EE Standard	Java Specification Request (JSR)	GlassFish Server 3.1.2 Full Platform Profile	GlassFish Server 3.1.2 Web Profile
Java Persistence API 2.0 (http://www.oracle.com/technetwork/java/javasee/tech/index.html)	JSR 317 (http://jcp.org/en/jsr/detail?id=317)	X	X
Enterprise JavaBeans 3.1 Lite (http://www.oracle.com/technetwork/java/index-jsp-140203.html)	JSR 318 (http://jcp.org/en/jsr/detail?id=318)	X	X
Managed Beans 1.0	JSR 316 (http://jcp.org/en/jsr/detail?id=316)	X	X
Interceptors 1.1	JSR 318 (http://jcp.org/en/jsr/detail?id=318)	X	X
Dependency Injection for Java 1.0	JSR 330 (http://jcp.org/en/jsr/detail?id=330)	X	X
Enterprise JavaBeans 3.1 Full API (http://www.oracle.com/technetwork/java/index-jsp-140203.html)	JSR 318 (http://jcp.org/en/jsr/detail?id=318)	X	X
Contexts and Dependency Injection for Java EE 1.0	JSR 299 (http://jcp.org/en/jsr/detail?id=299)	X	X
Java API for RESTful Web Service (JAX-RS) 1.1 (https://jsr311.dev.java.net/)	JSR 311 (http://jcp.org/en/jsr/detail?id=311)	X	X
Bean Validation 1.0	JSR 303 (http://jcp.org/en/jsr/detail?id=303)	X	-
Java EE Connector Architecture 1.6 (http://java.sun.com/j2ee/connector/)	JSR 322 (http://jcp.org/en/jsr/detail?id=322)	X	X*
Java API for XML-Based Web Services (JAX-WS) 2.2 (https://jax-ws.dev.java.net/)	JSR 224 (http://jcp.org/en/jsr/detail?id=224)	X	-
Java Architecture for XML Binding (JAXB) 2.2 (https://jaxb.dev.java.net/)	JSR 222 (http://jcp.org/en/jsr/detail?id=222)	X	-
Implementing Enterprise Web Services 1.3	JSR 109 (http://jcp.org/en/jsr/detail?id=109)	X	-
Web Services Metadata for the Java Platform 2.1	JSR 181 (http://jcp.org/en/jsr/detail?id=181)	X	-
Java Message Service API 1.1 (http://www.oracle.com/technetwork/java/index-jsp-142945.html)	JSR 914 (http://jcp.org/en/jsr/detail?id=914)	X	-
JavaMail 1.4 (http://www.oracle.com/technetwork/java/index-jsp-139225.html)	JSR 919 (http://jcp.org/en/jsr/detail?id=919)	X	-

Table 1–5 (Cont.) Java EE 6 Standards Implementations in GlassFish Server 3.1.2

Java EE Standard	Java Specification Request (JSR)	GlassFish Server 3.1.2 Full Platform Profile	GlassFish Server 3.1.2 Web Profile
Java Authorization Contract for Containers 1.4 (http://java.sun.com/j2ee/javaacc/)	JSR 115 (http://jcp.org/en/jsr/detail?id=115)	X	-
Java Authentication Service Provider Interface for Containers 1.1	JSR 196 (http://jcp.org/en/jsr/detail?id=196)	X	-
Java EE Application Deployment 1.2 (http://java.sun.com/j2ee/tools/deployment/)	JSR 88 (http://jcp.org/en/jsr/detail?id=88)	X	-
J2EE Management 1.1 (http://java.sun.com/j2ee/tools/management/)	JSR 77 (http://jcp.org/en/jsr/detail?id=77)	X	-
Java API for XML-Based Remote Procedure Calls (JAX-RPC) 1.1 (https://jax-rpc.dev.java.net/)	JSR 101 (http://jcp.org/en/jsr/detail?id=101)	X	-
Java API for XML-Based Registries (JAXR) 1.0	JSR 93 (http://jcp.org/en/jsr/detail?id=93)	X	-

* Standalone Connector 1.6 Container only.

Building on these standards, GlassFish Server 3.1.2 provides a number of extensions, including the following:

- **Ajax (asynchronous JavaScript and XML):** Retrieves and displays new data for a portion of a web page without affecting the rest of the page.
- **Metro:** A web services stack that implements Java Architecture for XML Binding (JAXB) and Java APIs for XML Web Services 2.1 (JAX-WS 2.1).
- **Grizzly:** A framework for building scalable and robust servers using New I/O (NIO) APIs, which make scaling to thousands of users possible. The ability to embed components that support HTTP, Bayeux Protocol, Java Servlet API, and Comet is provided.

Java EE 6 SDK

GlassFish Server 3.1.2 is available as part of the Java EE 6 SDK. The following versions of the Java EE 6 SDK are available:

- **Java EE 6 SDK:** This version includes GlassFish Server 3.1.2. This version is designed for developers who require the full set of Java EE APIs for enterprise application development.
- **Java EE 6 Web Profile SDK:** This version includes GlassFish Server 3.1.2 Web Profile. This version contains web technologies that are subset of the Full Platform Profile and is designed for developers who do not require the full set of Java EE APIs.

More information about the Java EE 6 SDK distributions are available at Java EE Reference at a Glance

(<http://www.oracle.com/technetwork/java/javaee/documentation/ind>

[ex.html](#)). Java EE 6 SDK distributions are available from the Java EE 6 SDK downloads page (<http://www.oracle.com/technetwork/java/javasee/downloads/index.html>).

How to Report Problems and Provide Feedback

If you have problems with GlassFish Server 3.1.2, provide feedback through one of the following mechanisms:

- GlassFish Server mailing lists (<http://java.net/projects/glassfish/lists/>) — A variety of GlassFish Server community mailing lists for various interests and feedback
- GlassFish Server forum (<http://www.java.net/forums/glassfish/glassfish>) — A forum for discussing the GlassFish Server project
- JIRA project tracking (<http://java.net/jira/browse/GLASSFISH>) — GlassFish Server project dashboards and issue tracking database

Additional Resources

Useful information can be found at the following locations:

- GlassFish Server Community (<http://glassfish.java.net/>)
- GlassFish Server Wiki: GlassFish Server Open Source Edition 3.1.2 (<http://wikis.sun.com/display/GlassFish/PlanForGlassFish3.1>)
- Oracle Developer Information (<http://www.oracle.com/technetwork/index.html>)
- Oracle product documentation (<http://www.oracle.com/technetwork/indexes/documentation/index.html>)

